

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	schedul\$3 with ((virus intru\$4 near (scan\$4 detect\$3)) same (available free unoccup\$4) with (scanner device machine)	US-PGPUB; USPAT	OR	ON	2007/09/28 11:04
L2	3	schedul\$3 with ((virus intru\$4 near (scan\$4 detect\$3 audit\$3)) same (available free unoccup\$4) with (scanner device machine)	US-PGPUB; USPAT	OR	ON	2007/09/28 11:04
L3	3	schedul\$3 with ((virus intru\$4 security) near (scan\$4 detect\$3 audit\$3)) same (available free unoccup\$4) with (scanner device machine)	US-PGPUB; USPAT	OR	ON	2007/09/28 11:04
L4	374	726/25.ccls.	US-PGPUB; USPAT	OR	ON	2007/09/28 11:05
L5	0	726/25.ccls. and schedul	US-PGPUB; USPAT	OR	ON	2007/09/28 11:05
L6	80	726/25.ccls. and schedul\$3	US-PGPUB; USPAT	OR	ON	2007/09/28 11:08
L7	0	database.clm. near server.clm. same scanning.clm. near machine.clm.	US-PGPUB; USPAT	OR	ON	2007/09/28 11:09
L8	5	database.clm. near server.clm. and scanning.clm. near machine.clm.	US-PGPUB; USPAT	OR	ON	2007/09/28 11:09
S1	25	server with security with audit	USPAT	OR	ON	2003/12/12 18:29
S2	100	"5032979".URPN.	USPAT	OR	OFF	2003/12/12 18:24
S3	1	schedul\$3 with network with security with audit	USPAT	OR	ON	2003/12/12 18:25
S4	77	network with security with audit	USPAT	OR	ON	2003/12/12 18:25
S5	4	server with detect\$3 with vulnerability	USPAT	OR	ON	2003/12/12 18:30
S6	0	schedul\$3 with detect\$3 with network with vulnerability	USPAT	OR	ON	2003/12/12 18:30
S7	11	schedul\$3 with network with vulnerability	USPAT	OR	ON	2003/12/12 18:32
S8	43	network with vulnerability with (assess\$4 or detect\$3 or prob\$3 or test\$3)	USPAT	OR	ON	2003/12/12 18:33
S9	1	"6205552".URPN.	USPAT	OR	OFF	2003/12/12 18:41
S10	5	("5109484" "5551053" "5805801" "5892903" "5931946").PN.	USPAT	OR	OFF	2003/12/12 18:42

EAST Search History

S11	755	request\$3 with (security or attack) same network	USPAT	OR	ON	2003/12/12 18:45
S12	423	request\$3 with (security or attack) with network	USPAT	OR	ON	2003/12/12 18:45
S13	25	request\$3 with (security or attack) with network with (assess\$4 or detect\$3 or test\$3 or prob\$3)	USPAT	OR	ON	2003/12/12 18:49
S14	58	SATAN	USPAT	OR	ON	2003/12/12 18:49
S15	3	"6185689".URPN.	USPAT	OR	OFF	2003/12/13 15:11
S16	5	("6185689").URPN.	USPAT	OR	OFF	2004/12/29 11:13
S17	934	security with (audit\$3 or assess\$4)	USPAT	OR	ON	2004/12/29 12:47
S18	674	security with (audit\$3 or assess\$4) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 12:48
S19	5	schedul\$3 with security with (audit\$3 or assess\$4) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 12:49
S20	90865	schedul\$3 same security with (audit\$3 or assess\$4) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 12:49
S21	11	schedul\$3 same security with (audit\$3 or assess\$4) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 12:49
S22	6	schedul\$3 same security with (audit\$3 or assess\$4) and @ad<"19990729" not S19	USPAT	OR	ON	2004/12/29 12:49
S23	6	("6530024").URPN.	USPAT	OR	OFF	2004/12/29 12:52
S24	972	detect\$3 with (system or network) with (securit\$3 with vulnerabilit\$3 or weak\$6)	USPAT	OR	ON	2004/12/29 12:53
S25	775	detect\$3 with (system or network) with (securit\$3 with vulnerabilit\$3 or weak\$6) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 12:53
S26	0	detect\$3 with (system or network) with (securit\$3 with vulnerabilit\$3 or weak\$6) same schedul\$3 and @ad<"19990729"	USPAT	OR	ON	2004/12/29 12:54
S27	50	detect\$3 with (system or network) with (securit\$3 with vulnerabilit\$3 or weak\$6) and schedul\$3 and @ad<"19990729"	USPAT	OR	ON	2004/12/29 12:54
S28	22	detect\$3 with (system or network) with (securit\$3 with vulnerabilit\$3 or weak\$6) and ("713"/\$.ccls. or "380"/\$.ccls.) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 12:58

EAST Search History

S29	8	schedul\$3 with (system or network) with (securit\$3 with vulnerabilit\$3 or weak\$6) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 12:59
S30	90	schedul\$3 with (system or network) with (audit\$3 or assess\$4) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 12:59
S31	7	schedul\$3 with (system or network) with (security or vulnerabilit\$3) with (audit\$3 or assess\$4) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 13:00
S32	9	schedul\$3 with (system or network) with (audit\$3 or assess\$4) same (securit\$3 or vulnerabilit\$3) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 13:01
S33	2	schedul\$3 with (system or network) with (audit\$3 or assess\$4) same (securit\$3 or vulnerabilit\$3) and @ad<"19990729" not S31	USPAT	OR	ON	2004/12/29 13:02
S34	8	recur\$4 with (system or network) with (audit\$3 or assess\$4) and @ad<"19990729" not S31	USPAT	OR	ON	2004/12/29 13:03
S35	4	(recur\$4 or schedul\$3) with (securit\$3 or vulnerabilit\$3) with (audit\$3 or assess\$4) and @ad<"19990729" not S31	USPAT	OR	ON	2004/12/29 13:05
S36	6	(securit\$3 or vulnerabilit\$3) with (audit\$3 or assess\$4) with remote with (network or client) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 13:06
S37	11	(securit\$3 or vulnerabilit\$3) with (audit\$3 or assess\$4) with remote with (network or client)	USPAT	OR	ON	2004/12/29 13:06
S38	14	("5319776" "5414650" "5623601" "5649095" "5835726" "6052788" "6061798" "6098172" "6119165" "6182226" "6205551" "6263444" "6279113" "6321336").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/29 13:07
S39	106	("5032979").URPN.	USPAT	OR	OFF	2004/12/29 13:10
S40	0	balanc\$3 with (securit or vulnerabilit\$3) with (audit\$3 or assess\$4)	USPAT	OR	ON	2004/12/29 13:35
S41	1	distribut\$3 with (securit or vulnerabilit\$3) with (audit\$3 or assess\$4)	USPAT	OR	ON	2004/12/29 13:37
S42	72	distribut\$3 with (securit\$3 or vulnerabilit\$3) with (audit\$3 or assess\$4)	USPAT	OR	ON	2005/07/16 13:53

EAST Search History

S43	31	distribut\$3 with (securit\$3 or vulnerabilit\$3) with (audit\$3 or assess\$4) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 13:39
S44	30	("5931946").URPN.	USPAT	OR	OFF	2004/12/29 13:41
S45	4	load with balanc\$3 with security with (audit\$3 or assess\$5)	USPAT	OR	ON	2004/12/29 15:43
S46	71	distribut\$3 with security with (audit\$3 or assess\$5)	USPAT	OR	ON	2004/12/29 15:44
S47	33	availabilit\$3 with security with (audit\$3 or assess\$5)	USPAT	OR	ON	2004/12/29 15:46
S48	3	availabilit\$3 with security with (audit\$3 or assess\$5) and @ad<"19990729"	USPAT	OR	ON	2004/12/29 15:44
S49	52	detect\$3 with server with availabilit\$3	USPAT	OR	ON	2004/12/29 15:46
S50	33	detect\$3 with server with availabilit\$3 and @ad<"19990729"	USPAT	OR	ON	2004/12/29 15:46
S51	40	(schedul\$3 or appoint\$4 or plan\$4) with (security or vulnerabilit\$3) with (assess\$4 or audit\$3 or scan)	USPAT	OR	ON	2005/01/03 10:48
S52	40	(schedul\$3 or appoint\$4 or plan\$4) with (security or vulnerabilit\$3) with (assess\$4 or audit\$3 or scan)	USPAT	OR	ON	2005/07/07 11:18
S53	1	"6249575".pn.	USPAT	OR	ON	2005/01/03 12:11
S54	44	("4332982" "4639557" "4653085" "4783796" "4876717" "4905281" "4965459" "5018190" "5276529" "5276687" "5276731" "5311593" "5345595" "5351287" "5436957" "5495521" "5510777" "5535265" "5557742" "5606604" "5623601" "5627886" "5684957" "5706338" "5745555" "5805686" "5805803" "5812763" "5826014" "5838682" "5854889" "5864666" "5892903" "5898830" "5907602" "5918019" "5923849" "5931946" "5944823" "5949864" "5960177" "6061798" "6098172" "6154775").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/03 11:06
S55	2	"6249575".pn. or "5812763".pn.	USPAT	OR	ON	2005/01/03 12:11
S56	2	"5812763".pn. or "6249575".pn.	USPAT	OR	ON	2005/01/03 12:12
S57	2	"5812763".pn. or "6249575".pn.	USPAT	OR	ON	2005/01/03 13:38
S58	2463	schedul\$3 with database	USPAT	OR	ON	2005/01/03 15:56

EAST Search History

S59	19	schedul\$3 with database same load with balanc\$3	USPAT	OR	ON	2005/01/03 15:57
S60	191	derandomiz\$3	USPAT	OR	ON	2005/01/04 10:02
S61	5	schedul\$3 with security near audit	US-PGPUB; USPAT	OR	ON	2005/07/04 17:32
S62	7	schedul\$3 with vulnerability near assessment	US-PGPUB; USPAT	OR	ON	2005/07/04 17:37
S63	13	schedul\$3 same vulnerability near assessment	US-PGPUB; USPAT	OR	ON	2005/07/04 17:37
S64	6	schedul\$3 same vulnerability near assessment not S62	US-PGPUB; USPAT	OR	ON	2005/07/04 17:40
S65	43	schedul\$3 same (security vulnerability) near (scan\$4 audit\$3 assessment)	US-PGPUB; USPAT	OR	ON	2005/07/04 17:41
S66	5	schedul\$3 same (security vulnerability) near (scan\$4 audit\$3 assessment) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/04 18:20
S67	152	schedul\$3 and (security vulnerability) near (scan\$4 audit\$3 assessment) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/04 18:05
S68	867	plurality with scan\$4 with machines and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/04 17:47
S69	0	plurality with scan\$4 with machines same schedul\$3 with (security vulnerability) near (scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/04 17:47
S70	0	plurality with scan\$4 with machines and schedul\$3 with (security vulnerability) near (scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/04 17:48
S71	2104	(security vulnerability) with (scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/04 17:48
S72	37	schedul\$3 with (security vulnerability) with (scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/04 17:53
S73	88	(plurality several) with (security vulnerability) with (scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/04 17:53

EAST Search History

S74	110	("5032979").URPN.	USPAT	OR	OFF	2005/07/04 18:02
S75	91	(client user) with schedul\$3 and (security vulnerability) near (scan\$4 audit\$3 assessment) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/04 18:05
S76	0	(client user) with schedul\$3 same (security vulnerability) near (scan\$4 audit\$3 assessment) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/04 18:05
S77	10	("6185689").URPN.	USPAT	OR	OFF	2005/07/04 18:15
S78	291	(security vulnerability) near (testscan\$4 audit\$3 assessment) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/04 18:20
S79	36	(security vulnerability) near (test\$3 scan\$4 audit\$3 assessment) and server near availability and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/07 11:18
S80	91	(schedul\$3 appoint\$4 plan\$3) with (security vulnerability) with (test\$3 scan\$4 audit\$3 assessment) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/07 11:19
S81	2	(schedul\$3 appoint\$4 plan\$3) with distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assessment) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/07 11:19
S82	5	(schedul\$3 appoint\$4 plan\$3) same distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assessment) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/07 11:19
S83	3	(schedul\$3 appoint\$4 plan\$3) same distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assessment) and (@ad<"20000613" @prad<"20000613") not S81	US-PGPUB; USPAT	OR	ON	2005/07/07 11:20
S84	81	(schedul\$3 appoint\$4 plan\$3) and distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assessment) and (@ad<"20000613" @prad<"20000613") not S81	US-PGPUB; USPAT	OR	ON	2005/07/07 11:20

EAST Search History

S85	78	(schedul\$3 appoint\$4 plan\$3) and distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assessment) and (@ad<"20000613" @prad<"20000613") not S82	US-PGPUB; USPAT	OR	ON	2005/07/07 11:21
S86	63	(schedul\$3 appoint\$4 plan\$3) with (test\$3 scan\$4 audit\$3 assess\$4) and distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613") not S82	US-PGPUB; USPAT	OR	ON	2005/07/07 11:41
S87	80	(order\$3) with (test\$3 scan\$4 audit\$3 assess\$4) and distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613") not S82	US-PGPUB; USPAT	OR	ON	2005/07/07 11:41
S88	80	(order\$3 purchas\$3) with (test\$3 scan\$4 audit\$3 assess\$4) and distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613") not S82	US-PGPUB; USPAT	OR	ON	2005/07/07 11:48
S89	22	(order\$3 purchas\$3) with (test\$3 scan\$4 audit\$3 assess\$4) and distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613") not S86	US-PGPUB; USPAT	OR	ON	2005/07/07 11:42
S90	110	("5032979").URPN.	USPAT	OR	OFF	2005/07/07 11:43
S91	64	(automat\$3) with (test\$3 scan\$4 audit\$3 assess\$4) and distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613") not S82	US-PGPUB; USPAT	OR	ON	2005/07/07 11:48
S92	67	(automat\$3) with (test\$3 scan\$4 audit\$3 assess\$4) and distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613")	US-PGPUB; USPAT	OR	ON	2005/07/07 11:48

EAST Search History

S93	7	(automat\$3) with (test\$3 scan\$4 audit\$3 assess\$4) and distribut\$3 with (security vulnerability) with (test\$3 scan\$4 audit\$3 assess\$4) and (@ad<"20000613" @prad<"20000613") not S85 not S87	US-PGPUB; USPAT	OR	ON	2005/07/07 14:59
S94	51	semiotic	US-PGPUB	OR	ON	2005/07/07 14:59
S95	3	semiotic.ti.	US-PGPUB	OR	ON	2005/07/07 15:04
S96	9338	(cluster farm mulit\$ agent distribut\$3) with (securit\$3 or vulnerabilit\$3 audit\$3 or assess\$4) and (@ad<"19990729" @prad<"19990729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 13:54
S97	5443	(cluster farm distribut\$3) with (securit\$3 or vulnerabilit\$3 audit\$3 or assess\$4) and (@ad<"19990729" @prad<"19990729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 13:54
S98	22	(cluster farm distribut\$3) with schedul\$3 with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4) and (@ad<"19990729" @prad<"19990729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 13:59
S99	357	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4) and (schedul\$3 appoint\$4 plan\$4) with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4) and (@ad<"19990729" @prad<"19990729") not S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:00
S100	100	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4) same (schedul\$3 appoint\$4 plan\$4) with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4) and (@ad<"19990729" @prad<"19990729") not S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:00
S101	3	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4) same (schedul\$3 appoint\$4 plan\$4) with (available free) with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4) and (@ad<"19990729" @prad<"19990729") not S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:02

EAST Search History

S10 2	6	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4 virus) same (schedul\$3 appoint\$4 plan\$4) with (available free) with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4 virus) and (@ad<"19990729" @prad<"19990729") not S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:02
S10 3	3	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4 virus) same (schedul\$3 appoint\$4 plan\$4) with (available free) with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4 virus) and (@ad<"19990729" @prad<"19990729") not S98 not S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:03
S10 4	6397	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 audit\$3 assess\$4 virus) and (@ad<"19990729" @prad<"19990729") not S98 not S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:04
S10 5	4179	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 virus) and (@ad<"19990729" @prad<"19990729") not S98 not S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:04
S10 6	72	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 virus) with (audit\$3 assess\$4 scan\$4) and (@ad<"19990729" @prad<"19990729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:05
S10 7	10	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 virus) with (audit\$3 assess\$4 scan\$4) with (schedul\$3 plan\$4 appoint\$4 catalog\$3 docket\$3 program\$4 register\$3) and (@ad<"19990729" @prad<"19990729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:06
S10 8	10	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 virus) with (audit\$3 assess\$4 scan\$4) with (schedul\$3 plan\$4 appoint\$4 catalog\$3 docket\$3 program\$4 register\$3 arrang\$3) and (@ad<"19990729" @prad<"19990729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:13

EAST Search History

S109	18	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 virus) same (audit\$3 assess\$4 scan\$4) with (schedul\$3 plan\$4 appoint\$4 catalog\$3 docket\$3 program\$4 register\$3 arrang\$3) and (@ad<"19990729" @prad<"19990729")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:16
S110	8	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 virus) same (audit\$3 assess\$4 scan\$4) with (schedul\$3 plan\$4 appoint\$4 catalog\$3 docket\$3 program\$4 register\$3 arrang\$3) and (@ad<"19990729" @prad<"19990729") not S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:18
S111	735	(cluster farm distribut\$3) with (securit\$3 vulnerabilit\$3 virus) same (schedul\$3 plan\$4 appoint\$4 catalog\$3 docket\$3 program\$4 register\$3 arrang\$3) and (@ad<"19990729" @prad<"19990729") not S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:18
S112	70	(cluster farm distribut\$3) near (securit\$3 vulnerabilit\$3 virus) same (schedul\$3 plan\$4 appoint\$4 catalog\$3 docket\$3 program\$4 register\$3 arrang\$3) and (@ad<"19990729" @prad<"19990729") not S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:33
S113	331	(cluster farm distribut\$3) near (monitor\$3 securit\$3 vulnerabilit\$3 virus) same (schedul\$3 plan\$4 appoint\$4 catalog\$3 docket\$3 program\$4 register\$3 arrang\$3) and (@ad<"19990729" @prad<"19990729") not S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:33
S114	41	(cluster farm distribut\$3) with monitor\$3 with (securit\$3 vulnerabilit\$3 virus) same (schedul\$3 plan\$4 appoint\$4 catalog\$3 docket\$3 program\$4 register\$3 arrang\$3) and (@ad<"19990729" @prad<"19990729") not S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:38
S115	4859	hammond.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:38

EAST Search History

S11 6	0	hammond-ni.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:38
S11 7	1	hammond-ni\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:39
S11 8	54	hammond-n\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:39
S11 9	0	hammond-nicholas-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:39
S12 0	958	hammond-j\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:39
S12 1	840	internet.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:39
S12 2	35	internet.as. and security.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:40
S12 3	20	internet.as. and security.as. and systems.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:53
S12 4	15	S122 not S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 14:53